

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| Α | PPLICATION NO. | F | ILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO |
|---|----------------------------|---------------|-------------|----------------------|---------------------|-----------------|
| | 09/966,814 | 14 09/28/2001 | | Bruce Alexander | VIGL118030 | 3066 |
| | 26389 | 7590 | 06/27/2006 | | EXAMINER | |
| | | • | CONNOR, JOH | PESIN, BORIS M | | |
| | 1420 FIFTH A SUITE 2800 | AVENUI | 3 | | ART UNIT | PAPER NUMBER |
| | SEATTLE, WA 98101-2347 | | | 2174 | | |

DATE MAILED: 06/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | | | |
|---|---|---|--|--|--|--|--|
| 0.00 | 09/966,814 | ALEXANDER ET AL. | | | | | |
| Office Action Summary | Examiner | Art Unit | | | | | |
| | Boris Pesin | 2174 | | | | | |
| The MAILING DATE of this communication app Period for Reply | ears on the cover sheet with the c | orrespondence address | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE | N. nely filed the mailing date of this communication. D (35 U.S.C. § 133). | | | | | |
| Status | | | | | | | |
| 1)⊠ Responsive to communication(s) filed on <u>11 A</u> | o <u>ril 2006</u> . | | | | | | |
| 2a)⊠ This action is FINAL . 2b)☐ This | | | | | | | |
| 3) Since this application is in condition for allowar | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | | |
| closed in accordance with the practice under E | x parte Quayle, 1935 C.D. 11, 4 | 53 O.G. 213. | | | | | |
| Disposition of Claims | | | | | | | |
| 4)⊠ Claim(s) <u>1-40</u> is/are pending in the application. | ◯ Claim(s) 1-40 is/are pending in the application. | | | | | | |
| 4a) Of the above claim(s) is/are withdraw | 4a) Of the above claim(s) is/are withdrawn from consideration. | | | | | | |
| Claim(s) is/are allowed. | | | | | | | |
| 6)⊠ Claim(s) <u>1-40</u> is/are rejected. | ☐ Claim(s) <u>1-40</u> is/are rejected. | | | | | | |
| 7) Claim(s) is/are objected to. | | | | | | | |
| 8) Claim(s) are subject to restriction and/or | r election requirement. | | | | | | |
| Application Papers | | | | | | | |
| 9) The specification is objected to by the Examine | r. | | | | | | |
| 10) The drawing(s) filed on is/are: a) acc | epted or b) \square objected to by the | Examiner. | | | | | |
| Applicant may not request that any objection to the | drawing(s) be held in abeyance. Se | e 37 CFR 1.85(a). | | | | | |
| Replacement drawing sheet(s) including the correct | | | | | | | |
| 11)☐ The oath or declaration is objected to by the Ex | caminer. Note the attached Office | : Action or form PTO-152. | | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | | | |
| Attachment(s) 1) \(\sum \) Notice of References Cited (PTO-892) 2) \(\sum \) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) \(\sum \) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 4) ☐ Interview Summary Paper No(s)/Mail D 5) ☐ Notice of Informal F | | | | | | |
| Paper No(s)/Mail Date | 6) Other: | | | | | | |

Art Unit: 2174

DETAILED ACTION

Response to Amendment

This communication is responsive to the amendment filed 07/14/2005.

Claims 1-40 are pending in this application. Claims 1, 25, 29, and 37 are independent claims. In the amendment filed 07/14/2005, Claim 29 was amended. This action is made Final.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-16, 19, 23-27, and 37-40 are rejected under 35 U.S.C. 102(e) as being anticipated by Crater et al ("Crater," US005982362A).

As per independent claim 1, Crater teaches a method for interacting with a remote device comprising: obtaining a request corresponding to controlling at least one identifiable remote devices (column 3, lines 58-64); generating a graphical user interface responsive to said request, the graphical user interface being operable to

Art Unit: 2174

control the remote device, wherein controlling said device includes accessing said remote device and issuing instructions (column 3, lines 37-45 and lines 58-64); obtaining user control instructions from said graphical user interface (column 7, lines 25-36); transmitting remote device control data corresponding to said user control instructions (column 7, lines 25-36); and obtaining remote device data generated by said remote device (column 7, lines 25-36).

As per claim 2, which is dependent on claim 1, Crater teaches that generating a graphical user interface includes dynamically generating a graphical user interface (column 8, lines 20-25).

As per claim 3, which is dependent on claim 2, Crater teaches dynamically generating a graphical user interface includes: identifying a remote device corresponding to said request (column 8, lines 19-36); selecting a program module corresponding to said identified remote device from a plurality of program modules, said program module operable to control said remote device (column 8, lines 19-36); generating a screen interface including said selected program module, said program module including a graphical user interface component corresponding to said requested remote device (column 8, lines 25-36).

As per claim 4, which is dependent on claim 2, Crater teaches dynamically generating a graphical user interface includes: identifying two or more remote devices corresponding to said request (column 9, lines 54-62, i.e. – data from many remote devices can be displayed together); selecting a program module corresponding to each identified remote device from a plurality of program modules, said program modules

Art Unit: 2174

operable to control said remote device (column 9, lines 54-62); generating a single screen interface containing all program modules, said program modules operable to generate graphical user interface components corresponding to each requested remote device (column 9, lines 23-26 and lines 54-62).

Claim 30 is similar in scope to claim 4, and is therefore rejected under similar rationale.

As per claim 5, which is dependent on claim 4, Crater teaches that control instructions control the operation of all of said remote devices (column 2, lines 63-68).

As per claim 6, which is dependent on claim 2, Crater teaches that the graphical user interface is a Web page (column 8, lines 19-25).

Claim 31 is similar in scope to claim 6, and is therefore rejected under similar rationale.

As per claim 7, which is dependent on claim 2, Crater teaches obtaining a request corresponding to controlling one or more identifiable remote devices includes: obtaining a request for monitoring data corresponding to said remote device (column 8, lines 19-25).

As per claim 8, which is dependent on claim 2, Crater teaches wherein obtaining a request corresponding to controlling one or more identifiable remote devices includes: obtaining a request to transmit data to said remote device (column 7, lines 25-36).

As per claim 9, which is dependent on claim 8, Crater teaches that the transmitted data causes said remote device to move (column 7, lines 25-36).

As per claim 10, which is dependent on claim 1, Crater teaches transmitting control data includes: transmitting a request for accessing data from said remote device

Art Unit: 2174

(column 10, lines 49-59); and transmitting authorization for access to said remote device (column 10, lines 49-59).

As per claim 11, which is dependent on claim 1, Crater teaches obtaining remote device data generated by said remote device includes: obtaining real-time data generated by said remote device (column 3, lines 12-15).

As per claim 12, which is dependent on claim 1, Crater teaches obtaining remote device data generated by said remote device includes: obtaining pre-recorded data generated by said remote device (column 3, lines 15-23).

As per claim 13, which is dependent on claim 1, Crater teaches that the remote device is a video camera, and wherein obtaining remote device data includes obtaining video data from said video camera (column 3, lines 12-23).

As per claim 14, which is dependent on claim 13, Crater teaches that transmitting control data includes transmitting data manipulating said video camera (column 7, lines 25-31).

As per claim 15, which is dependent on claim 1, Crater teaches that transmitting data includes manipulating operating parameters of said remote device using said graphical user interface (column 9, lines 4-12); and wherein obtaining remote device data includes obtaining remote device data generated by said remote device based on said manipulated operating parameters (column 9, lines 4-12).

As per claim 16, which is dependent on claim 15, Crater teaches that the graphical user interface includes a graphical means for manipulating said operating

Art Unit: 2174

parameters of said remote device, said graphical means operable to receive user inputs corresponding to said manipulation (column 3, lines 62-65 and column 7, lines 25-31).

As per claim 19, which is dependent on claim 1, Crater teaches obtaining user control data includes obtaining a request for manipulating operating parameters of said remote device (column 3, lines 62-65); and wherein transmitting remote device control data includes translating said request into device specific commands, and transmitting said device specific commands to said remote device operable to change said operating parameters of said remote device (column 7, lines 25-36).

As per claim 23, which is dependent on claim 1, Crater teaches a computerreadable medium having computer-executable instructions (column 3, lines 24-35).

As per claim 24, which is dependent on claim 1, Crater teaches a system having a processor, a memory, and an operating environment (column 3, lines 24-35).

As per independent claim 25, Crater teaches a computer-readable medium having computer-executable components for dynamically interacting between at least one remote device and a computing device, comprising: a user interface application operable to dynamically generate a graphical user interface corresponding to the remote device in response to a request for interaction with the remote device (column 8, lines 20-25); a device interface application operable to obtain device data from the remote device (column 7, lines 25-36), and operable to manipulate said data (column 7, lines 25-36); and a data transmittal application operable to transmit said data to the computing device, and to facilitate communication between the remote device and the computing device (column 7, lines 25-36).

Art Unit: 2174

As per claim 26, which is dependent on claim 25, Crater teaches that the computing device is a server computer (column 9, lines 42-47).

As per claim 27, which is dependent on claim 25, Crater teaches that the computing device is a client computer (column 9, lines 62-66).

As per independent claim 37, Crater teaches a system for dynamically generating a user interface for controlling at least one remote device comprising: at least one remote device operable to receive control commands and to transmit monitoring data based on said control commands (column 7, lines 25-36); a server computer in communication with said remote device, said server computer operable to dynamically generate a graphical user interface based on said remote device (column 9, lines 42-47); a client computer in communication with said server computer, said client computer operable to display said graphical user interface, and request said control commands (column 9, lines 62-67).

As per claim 38, which is dependent on claim 37, Crater teaches a proxy server in communication with said client computer and said server computer, said proxy server operable to process and store monitoring data generated by said remote device (column 9, lines 15-20 and column 7, lines 32-36, i.e. – camera output signals are stored on a network host and transferred to a local server to be displayed on a client system).

Application/Control Number: 09/966,814 Page 8

Art Unit: 2174

As per claim 39, which is dependent on claim 37, Crater teaches that the server computer and said client computer are in communication via the Internet (column 7, lines 37-49).

As per claim 40, which is dependent on claim 37, Crater teaches that the server computer and said client computer are in communication via a dedicated device control network (column 7, lines 37-49).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Crater et al. ("Crater," US005982362A) in view of Amini et al. ("Amini," US006698021B1).

As per claim 17, which is dependent on claim 16, the teachings of Crater in regards to claim 16 have been discussed above. Crater teaches that the remote device is a video camera (column 3, lines 12-23). Crater does not disclose a graphical means that is a graphical controller including graphical representation of a compass having an origin and directional indicators.

Amini teaches a graphical means that is a graphical controller including graphical representation of a compass having an origin and directional indicators (figure 10C, element 1032 and column 16, lines 1-13). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Crater with a graphical means to control a video camera using a compass representation, as taught by Amini, with the motivation to provide an intuitive user interface capable of controlling camera motion relative to any initial camera position (column 16, lines 1-6)

Claims 18 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Crater et al. ("Crater," US005982362A) in view of Amini et al. ("Amini," US006698021B1) in further view of Brush, II et al. ("Brush," US# 5732232).

As per claim 18, which is dependent on claim 17, teachings of the combination of Crater and Amini in regards to claim 16 have been discussed above. The combination of Crater and Amini do not disclose that the graphical controller is operable to communicate the intensity of said manipulation, said intensity based on the distance away said user input is from said origin.

Brush teaches that the graphical controller is operable to communicate the intensity of said manipulation, said intensity based on the distance away said user input is from said origin (column 3, lines 28-35). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of the combination of Crater and Amini with a means to indicate the intensity of user input based on the distance the user input is from the origin, as taught by Brush, with the motivation to more efficiently translate user input into desired outcomes on a graphical user interface and to enable a greater degree of user control of the interface (column 4, lines 65-67)

As per claim 20, which is dependent on claim 18, Crater teaches remote device data generated by said remote device based on said changed operating parameters is real-time data (column 3, lines 12-15).

Claims 21 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Crater et al. ("Crater," US005982362A) in view of Lemons et al. ("Lemons," US006504479B1).

As per claim 21, which is dependent on claim 1, the teachings of Crater in regards to claim 1 have been discussed above. Crater does not disclose that the remote device is selected from the group consisting of intrusion detection devices, card readers, door strikes and contacts, access control panels, bar code scanners, video cameras, still cameras, and microphones.

Lemons teaches that the remote device is selected from the group consisting essentially of intrusion detection devices, card readers, door strikes and contacts, access control panels, bar code scanners, video cameras, still cameras, and microphones (column 6, lines 65-68 and column 6, lines 41-57 and column 5-6, lines 47-27). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Crater to include intrusion detection devices, card readers, door strikes and contacts, access control panels, bar code scanners, video cameras, still cameras, and microphones, as taught by Lemons, with the motivation to monitor and control all aspects of an integrated security system (column 2, lines 30-33).

Claim 28 is similar in scope to claim 21, and is therefore rejected under similar rationale.

Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Crater et al. ("Crater," US005982362A) in view of Nail (US# 5758340).

As per claim 22, which is dependent on claim 1, the teachings of Crater in regards to claim 1 have been discussed above. Crater does not disclose that the remote device can be locked, thereby preventing the simultaneous submission of instructions by more than one user.

Nail teaches that the remote device can be locked, thereby preventing the simultaneous submission of instructions by more than one user (column 3, lines 6-8). It would have been obvious to one of ordinary skill in the art at the time the invention was

Art Unit: 2174

made to modify the teachings of Crater with a means to lock a remote device to prevent simultaneous submission of instructions by more than one user, as taught by Nail, with the motivation to prevent data inconsistency (column 3, line 6).

Claim 29-31 and 35-36 are rejected under 35 U.S.C. 102(e) as being obvious over Crater et al ("Crater," US005982362A) in view of Hesselink (US 6499054).

As per independent claim 29, Crater teaches a method for dynamically generating a graphical user interface for controlling at least one pre-selected remote device comprising: obtaining a request to control at least one pre-selected remote device (column 3, lines 58-64); and selecting one or more program modules corresponding to said request to control at least one pre-selected remote device from a plurality of program modules in response to said request, said one or more program modules operable to control said remote device (column 7, lines 25-36); transmitting a screen interface with said one or more program modules (column 7, lines 25-36); wherein said screen interface containing said one or more program modules is operable to generate a graphical user interface when loaded within a browser application on the remote device (column 9, lines 62-66). Crater does not teach a computer system including a remote device in communication with a central server via a communication server and obtaining a request to control at least one pre-selected remote device from a remote device by a central server. Hesselink teaches a computer system including a remote device in communication with a central server via a communication server and obtaining a request to control at least one pre-selected remote device from a remote

Art Unit: 2174

device by a central server (i.e. Figure 1A, and Figure 1B). It would have been obvious to one of ordinary skill in the art to modify Crater with the teachings of Hesselink and include a central server to control a pre-selected device with the motivation to provide the user with feedback and minimal delay (Hesselink, Column 1, Line 60).

As per claim 30, which is dependent on claim 29, Crater teaches a method wherein said request to control includes two or more pre-selected devices, and wherein said screen interface is an integrated screen interface containing said program modules (column 9, lines 54-62, i.e. – data from many remote devices can be displayed together), said program modules operable to generate a graphical user interface corresponding to said requested remote device when said single screen interface is loaded on a browser application (column 9, lines 23-26 and lines 54-62).

As per claim 31, which is dependent on claim 29, Crater teaches that the graphical user interface is a Web page (column 8, lines 19-25).

As per claim 35, which is dependent on claim 1, Crater teaches a computer-readable medium having computer-executable instructions (column 3, lines 24-35).

As per claim 36, which is dependent on claim 1, Crater teaches a system having a processor, a memory, and an operating environment (column 3, lines 24-35).

Claims 32 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Crater et al. ("Crater," US005982362A) in view of Hesselink (US 6499054) further in view of Lemons et al. ("Lemons," US006504479B1).

Application/Control Number: 09/966,814 Page 14

Art Unit: 2174

As per claim 32, which is dependent on claim 29, the teachings of Crater and Hesselink in regards to claim 29 have been discussed above. Crater and Hesselink do not explicitly disclose that the pre-selected remote device is a video camera having pantilt-zoom functionality, and wherein said graphical user interface is operable to control said pan-tilt-zoom functionality of said video camera and to view data from said video camera.

Lemons teaches that the pre-selected remote device is a video camera having pan-tilt-zoom functionality, and wherein said graphical user interface is operable to control said pan-tilt-zoom functionality of said video camera and to view data from said video camera (column 5, lines 60-67). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Crater and Hesselink with a means to control the pan-tilt-zoom functionality of a video camera and view data from the video camera, as taught by Lemons, with the motivation to control the function of remote video camera (column 3, lines 9-11) and provide the user with easy to access information that would not normally be easily accessible.

As per claim 34, which is dependent on claim 29, the teachings of Crater and Hesselink in regards to claim 29 have been discussed above. Crater and Hesselink do not disclose that the pre-selected remote device is a motion detector.

Lemons teaches that the pre-selected remote device is a motion detector (column 7, lines 5-10). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Crater and Hesselink to include intrusion detection devices, card readers, door strikes and contacts, access

control panels, bar code scanners, video cameras, still cameras, and microphones, as taught by Lemons, with the motivation to monitor and control all aspects of an integrated security system (column 2, lines 30-33).

Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Crater et al. ("Crater," US005982362A) in view of Hesselink (US 6499054) further in view of Launey et al. ("Launey," US005086385A).

As per claim 33, which is dependent on claim 29, the teachings of Crater and Hesselink in regards to claim 29 have been discussed above. Crater does not disclose that the pre-selected remote device is a temperature control device, and wherein said graphical user interface is operable to control said change in temperature of said temperature control device. However, Crater disclose monitoring of temperature (column 8, lines 26-31).

Launey teaches that the pre-selected remote device is a temperature control device, and wherein said graphical user interface is operable to control said change in temperature of said temperature control device (column 16, lines 48-61). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Crater and Hesselink with a means to control the temperature through a user interface, as taught by Launey, with the motivation to provide a simple interface to control the environment of a building (column 3, lines 10-13).

Response to Arguments

Applicant's arguments filed 07/14/2005 in regards to claims 1-40 have been fully considered but they are not persuasive.

In regards to Applicants argument that Crater does not teach generating a graphical user interface responsive to a request, the graphical user interface being operable to control the remote device, the Examiner disagrees. The Applicant concedes that Crater teaches that "The same web page with the predefined set of applets would be transmitted to the remote monitoring computer in response to each remote monitoring remote computer request" (Page 15). The fact that the web page is transmitted and displayed to the user indicates that the web page is generated first. A web page has to be generated first before it is displayed. Furthermore, Crater teaches that the "remote computer also includes a facility for processing the instruction to create a user interface" (Column 3, Lines 38-39). Therefore, Crater specifically teaches creating a user interface (i.e. generating a user interface).

Applicant further argues that Hesselink does not teach, "obtaining a request to control at least one pre-selected remote device from a remote device by a central server." The Examiner respectfully disagrees. Figure 1A and Figure 1B clearly illustrate a request to control at least one pre-selected remote device (Element 70) by a central server (Element 74).

Application/Control Number: 09/966,814 Page 17

Art Unit: 2174

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Boris Pesin whose telephone number is (571) 272-4070.

The examiner can normally be reached on Monday-Friday except every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid can be reached on (571) 272-4063. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2174

Page 18

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kristine Lincaid
KRISTINE KINCAID

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2100

BP